



## DESCRIPTION

COLOBASE is a two-layer system for passenger cars, vans, coaches, trucks, etc.

## FIELD OF USE

COLOBASE is a basic coating to be finished with a clear two-component varnish. The system creates a very special optical effect, it has high resistance to wear and chemical agents, as well as excellent gloss retention.

## PHYSICAL PROPERTIES

- Aspect : Liquid.
- Density: 0.94 to 1.38, in accordance with NM ISO 2811-1 (2008).
- Dry extract vol: 35 +/- 2%, in accordance with ISO 3233-3 (2015).

## SURFACE PREPARATION

The work will be carried out with the greatest care. Contact us for any additional information.

## APPLICATION DETAILS FOR USAGE

If necessary, immediately apply a finishing veil over a wet and / or dry coat.  
Dilution: 1: 1 L of C3 or D58.

## DRYING TIME

Drying at 20 ° C and 60% hygrometry: 15 to 20 min.

## CONDITIONS AND METHODS OF APPLICATION

- Application viscosity (DINCUP 4mm 20 ° C): 15-17 sec.

	Opening pistol (mm)	Spraying pressure (bars)
Gravity pistol	1,3-1,5	3,0-4,0
Suction pistol	1,6-1,8	3,5-4,5
<b>HVLP</b>	1,3-1,5	according to manufacturer
pistol passages	2-3	
Layer thickness (µm)	15-25	

## PACKAGING

4 L.

## STORAGE

The product can be stored for up to 12 months under good storage conditions away from direct sunlight and frost in its original closed packaging. It is nevertheless recommended to shake the product before use.

## HEALTH & SAFETY

Health and safety information and precautions for use are detailed on the safety data sheet N°275.

Edition : July 2020 by Colorado 07/20 (DC28 D).

N.B : The purpose of this technical data sheet is to provide information on the properties of our product. The information contained therein is based on our current knowledge of tests carried out with a constant concern for objectivity according to the conditions of use in accordance with standards or DTU in force; However, the information cannot replace an appropriate description and the state of the funds to be painted. This descriptive technical sheet cancels and replaces any sheet relating to the same product. The above technical data does not imply acceptance of the guarantees. Close the pot tightly after use. Help preserve the environment by not disposing of waste in the drains or household waste. Please return your empty jar to a recycling center. For your unused product, please contact your local authorities for information on disposal and collection.

COLORADO is certified ISO 9001, ISO 14001 and ISO 45001